UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/552,395	08/18/2006	Kai Sutter	10191/4259	4762
26646 KENYON & K	7590 02/09/200 ENYON LLP	EXAMINER		
ONE BROADV	VAY	RAEVIS, ROBERT R		
NEW YORK, NY 10004			ART UNIT	PAPER NUMBER
			2856	
			MAIL DATE	DELIVERY MODE
			02/09/2009	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)				
Office Action Occurrence	10/552,395	SUTTER ET AL.				
Office Action Summary	Examiner	Art Unit				
	Robert R. Raevis	2856				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.  - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status						
1) Responsive to communication(s) filed on						
	-· action is non-final.					
<i>,</i> —	, <del></del>					
closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
ologod in accordance with the practice and in	x parte quayre, 1000 G.B. 11, 10	0 0.0.210.				
Disposition of Claims						
<ul> <li>4) ☐ Claim(s) 9-16 is/are pending in the application.</li> <li>4a) Of the above claim(s) is/are withdrawn from consideration.</li> <li>5) ☐ Claim(s) is/are allowed.</li> <li>6) ☐ Claim(s) 9-12 is/are rejected.</li> <li>7) ☐ Claim(s) 13-16 is/are objected to.</li> <li>8) ☐ Claim(s) are subject to restriction and/or election requirement.</li> </ul>						
Application Papers						
<ul> <li>9) The specification is objected to by the Examiner.</li> <li>10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.  Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).</li> <li>11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.</li> </ul>						
Priority under 35 U.S.C. § 119						
<ul> <li>12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No</li> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>						
Attachment(s)    One of References Cited (PTO-892)						

## **DETAILED ACTION**

Claims 10-12 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the enablement requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to enable one skilled in the art to which it pertains, or with which it is most nearly connected, to make and/or use the invention.

As to claims 10-12; on p. 6, "greater" (line 10) does not appear to be consistent with the equation in the box of Figure 3. Specifically, the box suggests that if "Delta U" is large, that the value of "Ucontrol" (i.e. voltage requirement of the actuator, Ua) actually decreases (not increases). In addition, please note that Figure 3 is internally inconsistent. Specifically, the equation in the box indicates that as "Delta U" increases, that "Ucontrol" (i.e. voltage requirement of the actuator, Ua) should decrease; and yet, the graph indicates that as "Delta U" increases, that "Ua" increases. This is not consistent.

Claims 9-11 are rejected under 35 U.S.C. 102(b) as being anticipated by Rueger et al.

As to claims 9,10,11, Rueger et al (EP 1 138 909) teach (ABSTRACT; and Para 87) a method to determine a correction, including: measuring a voltage difference; and adapting the control signal from that voltage difference.

Claims 13-16 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Application/Control Number: 10/552,395 Page 3

Art Unit: 2856

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Robert R. Raevis whose telephone number is 571-272-2204. The examiner can normally be reached on Monday to Friday from 5:30am to 3pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Hezron Williams, can be reached on 571-272-2208. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

/Robert R. Raevis/

Primary Examiner, Art Unit 2856